

CLAIM AMENDMENT

Kindly amend the claims as follows:

1. (currently amended) One or more computer readable media having stored thereon a plurality of instructions that, when executed by ~~at least one processor a computer~~, cause the ~~processor~~ computer to perform acts comprising:

in response to a user input to raise gain in one band of a multi-band computer implemented equalizer, computing a lower gain for at least one other band of the equalizer; and

implementing said lower gain for the at least one other band of the equalizer in the equalizer to output a signal without distortion in the at least one other band of the equalizer.

2. Canceled.

3. (original) The media recited in claim 1 wherein said computing a lower gain comprises computing a lower gain for each of the other bands of the equalizer.

4. (original) The media recited in claim 3 wherein said computing a lower gain for each of the other bands of the equalizer comprises computing a lower gain approximately uniformly for each of the other bands of the equalizer.

5. (original) The media recited in claim 1 wherein said computing a lower gain for at least one other band of the equalizer comprises approximately uniformly

lowering the gain in the other bands of the equalizer by approximately cumulatively the value of the raised gain in the one band.

6. (original) The media recited in claim 1 wherein said computing a lower gain for at least one other band of the equalizer comprises approximately uniformly lowering the gain in the other bands of the equalizer by approximately cumulatively a fraction of the value of the raised gain in the one band.

7. (currently amended) A computer system comprising:

a memory;

a processor operatively coupled to the memory; and

a routine stored in the memory that when executed by any of the processor ~~processors~~ causes the processor to perform actions including computing a lower gain for at least one first band of a multi-band equalizer in response to a user input to raise gain in a second band of the equalizer, and implementing said lower gain for an output signal in the at least one first band of the equalizer.

8. Canceled.

9. (original) The computer system recited in claim 7 wherein said computing a lower gain comprises computing a lower gain for each of the first bands of the equalizer.

10. (original) The computer system recited in claim 9 wherein said computing a lower gain for each of the first bands of the equalizer comprises computing the lower gain approximately uniformly for each of the first bands of the equalizer.

11. (original) The computer system recited in claim 7 wherein said computing a lower gain for at least one first band comprises approximately uniformly lowering the gain in the first bands by approximately cumulatively the value of the raised gain in the second band.

12. (original) The computer system recited in claim 7 wherein said computing a lower gain for at least one first band comprises approximately uniformly lowering the gain in the other bands of the equalizer by approximately cumulatively a fraction of the value of the raised gain in the one band.

13. (currently amended) A method comprising:

in response to raising a gain in one band of a multi-band equalizer,
calculating an approximately uniform lower gain in the other bands of the
equalizer; and

adjusting the gain of the equalizer in each band according to the raised gain
in the one band, and the calculated gain in the other bands so that the equalizer
output signal is not distorted.

14. (original) The method recited in claim 13 further comprising providing the
calculated gain of the other bands to the equalizer.

15. Canceled

16. (original) The method recited in claim 13 wherein the calculating an approximately uniform lower gain in the other bands comprises approximately uniformly lowering the gain in the other bands by approximately cumulatively the value of the raised gain in the one band.

17. (original) The method recited in claim 13 wherein the calculating an approximately uniform lower gain in the other bands comprises approximately uniformly lowering the gain in the other bands by approximately cumulatively a fraction of the value of the raised gain in the one band.

18. (currently amended) An audio system comprising:

first means for determining a lower gain for at least one first band of a multi-band equalizer in response to a user input to raise gain in a second band of the equalizer; and

second means for providing a user input to raise gain in a second band of the equalizer to said first means; and

means for adjusting the gain of the equalizer in each band according to the raised gain in the second band, and the lowered gain in the first bands to adjust the equalizer output signal to prevent distortion.

19. (original) The audio system recited in claim 18 wherein said determining comprises determining the lower gain such that a lowering of gain in the first bands is approximately uniform for each of the first bands.

lee&hayes

20. (original) The audio system recited in claim 18 wherein said determining comprises determining the lower gain in the first bands such that a cumulatively lower gain in the first bands is approximately the value of the raised gain in the second band.

21. (original) The audio system recited in claim 18 wherein said determining comprises determining the lower gain in the first bands such that a cumulatively lower gain in the first bands is approximately a fraction of the value of the raised gain in the second band.

22. (original) The audio system recited in claim 18 further comprising:
means for providing the calculated gain in the first bands to the equalizer.

23. Canceled

24. (original) A computer system comprising the audio system recited in claim 18.